

**Declaration of Performance EN 14055-01 rev3-ENG**

1. Unique identification code of the product type:

**WC flushing cistern – Class 1**

**See the list attached**

2. Product type, Batch or serial number or any other element allowing identification of the construction products as required under Article 11 (4) of the CPR:

**WC and urinal flushing cisterns with flushing mechanism, inlet valve and overflow**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Personal Hygiene ( PH )**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required 11 ( 5 )

**Eczacıbaşı Building Materials ArtemA Faucet Division**

**4 Eylül Mah. Necmi Soylu Cd.**

**No : 4**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Eczacıbaşı Building Materials**

**Faucet Division**

**4 Eylül Mah. Necmi Soylu Cd.**

**No : 4**

**Tel : +90 228 314 07 90**

**Fax : +90 228 314 07 96**

**Email : [okan.barut@vitra.com.tr](mailto:okan.barut@vitra.com.tr)**

**<http://vitraglobal.com/>**

6. System or systems of assessment and verification of consistency of performance of the construction product as set out in CPR, Annex V:

**System 4**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard.

**TS EN 14055 : 2020**

**Declaration of Performance EN 14055-01 rev3-ENG**

8. Declared performance:

<b>Product</b> : WC Flushing Cistern of Class 1 <b>Intended use</b> : Personal Hygiene		
<b>Essantial Characteristics</b>	<b>Performance</b>	<b>Harmonised Technical Specification</b>
Watertightness/Leaktightness	Pass	TS EN 14055 :2020
Outlet Valve Reliability	VR 2	
Noise level	NL 1	
Flushing volume	Pass	
Durability	Pass	
<ul style="list-style-type: none"> <li>The declared performance is linked to thenique identification code in th attached list.</li> </ul>		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This decleration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Product No	Name	Designation Code
700-1850	Artema Set-1	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1851	Artema Set-2	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1852	Artema Set-3	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1853	Concealed Cistern Form 300 Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1854	Concealed Cistern Water Jewels Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1855	Concealed Cistern Mode Set 1	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1856	ArtemaSet-7(Con.Cis. + Control Panel + Wall-Hung WC Pan.+Cap))	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1857	SelenaSet(Con.Cis.+ Pan+ Wall-Hung WC Pan.+Cap)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1858	Concealed Cistern Step Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1859	Concealed Cis.Set (12cm, P.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1860	Concealed Cis.Set (12cm, M.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1861	Concealed Cis.Set (8 cm, P.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1862	Concealed Cis.Set (8 cm, M.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1863	Concealed Cis.Set (740-1851-01+740-0680)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1864	ConcealedCis.Set(740-1851-01+740-0680+A41415)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1865	Concealed Cis.Set (740-1851-01+740-0685+A41415)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1866	Concealed Cis.Set (742-1851-01+740-1212)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1867	Concealed Cis.Set (740-1851-01+740-0585+a41415)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1868	Concealed Cis.Set(748-1851+740-0680+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1869	3/6 L CC+Control Panel+Stop Valve Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA

**Declaration of Performance EN 14055-01 rev3-ENG**

700-1870	3/6 L CC+Control Panel+Stop Valve Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1871	ConcealedCis.Set(748-1851+740-0585+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1872	Concealed Cis.Set(742-5800-01+740-0580)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1873	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1874	Concealed Cis.Set(720-1851-01+720-0100)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1875	Concealed Cis.Set(720-1851-01+720-0180)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1876	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1877	Norm GR Closet Set(720-1700+720-0100)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1878	Norm GR Closet Set(720-1700+720-0155)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1879	Norm GR Closet Set(720-1700+720-0180)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1880	Norm Stand Set(720-1851+720-01**)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1881	Norm GR Sheetrock Set(720-5800+720-0100)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1882	Norm GR Sheetrock Set(720-5800+720-0155)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1883	Norm GR Sheetrock Set(720-5800+720-0180)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1884	Concealed Cis.+Control Panel .(SEA)(1851+0155)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1885EXP	Con.Cis.1800set(720-1800EXP+720-0100EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1886EXP	Con.Cis.1800Set(720-1800EXP+720-0180EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1887EXP	Con.Cis.1800Set(720-1800EXP+720-0185EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1888EXP	Con.Cis.1851Set(720-1851EXP+720-0100EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1889EXP	Con.Cis.1851Set(720-1851EXP+720-0180EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1890EXP	Con.Cis.1851Set(720-1851EXP+720-0185EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1891EXP	Con.Cis.5800Set(720-5800EXP+720-0100EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1892EXP	Con.Cis.5800Set(720-5800EXP+720-0180EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1893EXP	Con.Cis.5800Set(720-5800EXP+720-0185EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1894	Con.CisSet.(750-1851+740-0680+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1895	Con.Cis.(750-1851+740-0685+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1896	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1897	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1700-01	Concealed Cis. Front Operated	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1700-01EXP	Concealed Cis. Front Operated	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1700-01IND	Concealed Cis. Front Operated	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1720-01	CC 3/6L-for Fl.Stand.Single WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1720-01EXP	CC 3/6L-for Fl.Stand.Single WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1720-01IND	CC 3/6L-for Fl.Stand.Single WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1730-01	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1730-01EXP	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1730-01IND	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1731-01IND	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1800-01	Concealed Cis. 3/6L w.out/M.Brackets	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1800-01EXP	Concealed Cis. 3/6L w.out/M.Brackets	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1800-01IND	Concealed Cis. 3/6L w.out/M.Brackets	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01EXP	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01IND	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA

PREPARED BY

BEYZA ÖZÜPEK  
KALİTE GÜVENÇE UZMAN YARDIMCISI

APPROVED BY

DAMLAM TRAKYA  
KALİTE GÜVENÇE YÖNETİCİSİ

**Declaration of Performance EN 14055-01 rev3-ENG**

720-1851-01SEA	Con. Cis. -Metal Ayaklı (SEA)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01SEL	Con. Cis. -Metal Ayaklı (SEL)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5800-01XX	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5800-01EXP	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5800-01IND	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5801-01EXP	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5801-01IND	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5803-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5813-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1700-01	Concealed Cis. Front Operated-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1700-01UYT	Concealed Cis. Front Operated-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1720-01	CC 3/6L-for Fl.Stand.Single WC Pan-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1730-01	Concealed Cis. 3/6L-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1750-01	CC 3/6L Standard Ins. f/Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1800-01	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1804-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1850-01	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1850-01UYT	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1851-01	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1851-01UYT	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-4800-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-4802-01	CC Front Oper.DF(Light Weight Cons.Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5800-01XX	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5802-01XX	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5803-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5804-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5813-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5850-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5900-01	CONCEALED CISTERN (3/6 Lt) (12cm)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5900-03	CONCEALED CISTERN (4.8 Lt) (12cm)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1700-01	Concealed Cis. Front Operated-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1700-01UYT	Concealed Cis. Front Operated-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
768-1740-01	CC Set, BTW and child WC pans-3/6 L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
768-1851-01	CC Set, BTW and child WC pans-3/6 L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
768-4800-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
768-5800-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
768-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1720-01	CC 3/6L-for Fl.Stand.Single WC Pan-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1730-01	Concealed Cis. 3/6L-8 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1730-01IND	Concealed Cis. 3/6L-8 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1731-01IND	Concealed Cis. 3/6L-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1800-01	Concealed Cis. 3/6L w.out/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA

**Declaration of Performance EN 14055-01 rev3-ENG**

748-1800-01IND	Concealed Cis. 3/6L w.out/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1804-01	Concealed Cis. 3/6L w.out/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1850-01	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1850-01IND	Concealed Cistern 3/6L-Slim	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1850-01UYT	Concealed Cistern 3/6L-Slim	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1851-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1851-01UYT	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1857-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-4800-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-4802-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5800-01IND	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5802-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5804-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5850-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1850-01	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1850-01UYT	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1851-01	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1851-01UYT	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-4800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-5800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-5802-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-5803-01	12 cm Rapid installation set, for wall-h	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-5823-01	CC 3/6L_Pre-Wall,Top/Front Opr-H98	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-5803-01	CC 3/6L_Pre-Wall,Top/Front Opr-H82	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-5824-01	CC 3/6L_Pre-Wall,Top/Front Opr-H112	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-1740-01UK	Vuni,BTW WC pans,gypsm. walls,82cm,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-5800-01	CC Set 3/6L(Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-1745-01UK	Vuni,BTW WC pans,gypsm. walls,98cm,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-1746-01UK	Vuni,BTW WC pans,gypsm walls,106cm,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-5805-01UK	Vuni,wall-hung WC pans,gypsm,82cm,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-5825-01UK	Vuni,wall-hung WC pans,gypsm,98cm,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
761-5826-01UK	Vuni, wall-hung WC pan,gypsm,112cm,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-1735-01	Concealed Cis. 3/6L-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-5805-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-4805-01	V12,Wall-Hung WC Pan,gypsm,12cm,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-5855-01	V12,Wall-Hung WC Pan,double sided,3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-4802-01XX	CC Front Oper.DF(Light Weight Cons.Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
762-5802-01XX	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA

**Declaration of Performance EN 14055-01 rev3-ENG**

1. Unique identification code of the product type:

**WC flushing cistern – Class 2**

**See the list attached**

2. Product type, Batch or serial number or any other element allowing identification of the construction products as required under Article 11 (4) of the CPR:

**WC and urinal flushing cisterns with flushing mechanism, inlet valve and overflow**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Personal Hygiene ( PH )**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required 11 ( 5 )

**Eczacıbaşı Building Materials ArtemA Faucet Division**

**4 Eylül Mah. Necmi Soylu Cd.**

**No : 4**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Eczacıbaşı Building Materials**

**Faucet Division**

**4 Eylül Mah. Necmi Soylu Cd.**

**No : 4**

**Tel : +90 228 314 07 90**

**Fax : +90 228 314 07 96**

**Email : [okan.barut@vitra.com.tr](mailto:okan.barut@vitra.com.tr)**

**<http://vitraglobal.com/>**

6. System or systems of assessment and verification of consistency of performance of the construction product as set out in CPR, Annex V:

**System 4**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard.

**TS EN 14055 : 2020**

**Declaration of Performance EN 14055-01 rev3-ENG**

8. Declared performance:

<b>Product</b> : WC Flushing Cistern of Class 2 <b>Intended use</b> : Personal Hygiene		
Essential Characteristics	Performance	Harmonised Technical Specification
Watertightness/Leaktightness	Pass	TS EN 14055 : 2020
Outlet Valve Reliability	VR 2	
Noise level	NL 1	
Flushing volume	Pass	
Durability	Pass	
<ul style="list-style-type: none"><li>The declared performance is linked to the unique identification code in the attached list.</li></ul>		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Product No	Name	Designation Code
742-1735-01	Gömme Rezervuar-DTD klozet-12cm-3/6Lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA
742-4805-01	Göm.Rez. Alçıpan Uyg.Yere mnt.12cm 3/6Lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA
742-5805-01	Göm Rezervuar, Alçıpan Uyg.12cm 3/6Lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA
748-4805-01	Gömme Rez.Alçıpan,Yere montaj-8cm-3/6lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA
748-5805-01	Gömme Rezervuar, Alçıpan Uyg.8cm-3/6lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA
760-1725-01	Göm.Rez.Ön/Üst Kumanda-DTK-H98cm.3/6Lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA
760-5805-01	Göm.Rez.Önden/Üstten Kumanda H82cm.3/6Lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA
760-5805-01IND	Göm.Rez.Önden/Üstten Kumanda H82cm.3/6Lt	EN 14055 - CL 2 - 6 - NL 1 -VR II - WL -DA

**Declaration of Performance EN 14055-01 rev3-ENG**

1. Unique identification code of the product type:

**WC flushing cistern – Class 1**

**See the list attached**

2. Product type, Batch or serial number or any other element allowing identification of the construction products as required under Article 11 (4) of the CPR:

**WC and urinal flushing cisterns with flushing mechanism, inlet valve and overflow**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Personal Hygiene ( PH )**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required 11 ( 5 )

**Eczacıbaşı Building Materials ArtemA Faucet Division**

**4 Eylül Mah. Necmi Soylu Cd.**

**No : 4**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Eczacıbaşı Building Materials**

**Faucet Division**

**4 Eylül Mah. Necmi Soylu Cd.**

**No : 4**

**Tel : +90 228 314 07 90**

**Fax : +90 228 314 07 96**

**Email : [okan.barut@vitra.com.tr](mailto:okan.barut@vitra.com.tr)**

**<http://vitraglobal.com/>**

6. System or systems of assessment and verification of consistency of performance of the construction product as set out in CPR, Annex V:

**System 4**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard.

**TS EN 14055 : 2020**



**Declaration of Performance EN 14055-01 rev3-ENG**

8. Declared performance:

<b>Product</b> : WC Flushing Cistern of Class 2 <b>Intended use</b> : Personal Hygiene		
<b>Essential Characteristics</b>	<b>Performance</b>	<b>Harmonised Technical Specification</b>
Watertightness/Leaktightness	Pass	TS EN 14055 : 2020
Outlet Valve Reliability	VR 2	
Noise level	NL 1	
Flushing volume	Pass	
Durability	Pass	
<ul style="list-style-type: none"><li>The declared performance is linked to the unique identification code in the attached list.</li></ul>		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

Product Code	Name	Designation Code
742-1735-02	Gömme Rezervuar-DTD klozet-12cm-2,54lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-1740-02	DTD,Tek Klz.ve Çocuk K.İçin 12cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-1750-02	A.Kloz.İç.Kum.Plak. Ayar.Set 12cm2,5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-1800-02	A.Kloz.İç.GR Met.AyaksızSet 12cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-1850-02	A.Kloz.İç.GR Met.Ayaklı Set 12cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-1851-02	A.Kloz.İç.GR Met.Ayaklı Set 12cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-1851-02UYT	A.Kloz.İç.GR Met.Ayaklı Set 12cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-4800-02	Alçıpan Duv. İçi GR seti 12cm 2.5/4 Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-5800-02	Duv. Önü Alçıpan Uy.GR Seti 12cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-5801-02	Gömme Rezervuar 12cm-2,5/4lt-Duvar Onu	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
742-5850-02	Alçı.Duv.İçinGR Sırtırt Set12cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-1740-02	DTD,Tek Klz. ve Çocuk K.İçin 8cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-1800-02	Gömme Rezervuar 8cm-2,5/4L-Metal Ayaksız	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-1850-02	Gömme Rezervuar 8cm-2,5/4lt-Metal Ayaklı	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-1851-02	Gömme Rezervuar (Metal Ayaklı) (2,5/4)	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-1851-02UYT	Gömme Rezervuar (Metal Ayaklı) (2,5/4)	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-4800-02	Gömme Rezervuar 8cm-2,5/4L Alçıpan D.İçi	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-4802-02	Gömme Rezervuar 8cm-2,5/4L Alçıpan D.İçi	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-5800-02	Duv. Önü Alçıpan Uy.GR Seti 8cm 2.5/4Lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-5801-02	Gömme Rezervuar 8cm-2,5/4lt-Duvar Onu	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-5802-02	Gömme Rezervuar 8cm-2,5/4lt-Duvar Onu	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-5810-02	Gömme Rezervuar 8cm-2,5/4lt-Alçıpan Model	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
748-5850-02	Gömme Rezervuar 8cm-2,5/4L Sırtırtta 2li	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
750-1740-02	Pro GR DTD,Tek Klz.ve Çocuk Klz. 2,5/4lt	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
750-1850-02	Pro Göm.Rez. Duvarıç 2.5/4 lt-M. Ayaklı	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
750-1851-02	Pro Göm.Rez. Duvarıç 2.5/4 lt-M.Ayaklı	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA

**Declaration of Performance EN 14055-01 rev3-ENG**

750-1851-02UYT	Pro Göm.Rez. Duvarıçı 2.5/4 lt-M.Ayaklı	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
750-5800-02	Pro Gömme Rez. 2.5/4 lt-Duvar Onu	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
750-5801-02	Pro Gömme Rez. 2.5/4 lt-Alçıpan Model	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1760-02	Vitrus Cam Rez.DT Klz,Beyaz C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1760-02IND	Vitrus Cam Rez.DT Klz,Beyaz C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1761-02	Vitrus Cam Rez.DT Klz,Siyah C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1761-02IND	Vitrus Cam Rez.DT Klz,Siyah C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1770-02	Vitrus CamRez.DT Kl,Byz C+StpValf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1770-02IND	Vitrus CamRez.DT Kl,Byz C+StpValf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1771-02	Vitrus CamRez.DT Kl,Syh C+StopVlf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1771-02IND	Vitrus CamRez.DT Kl,Syh C+StopVlf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1780-02	Vitrus CamRez.DT Kl,Byz C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1780-02IND	Vitrus CamRez.DT Kl,Byz C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1781-02	Vitrus CamRez.DT Kl,Syh C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-1781-02IND	Vitrus CamRez.DT Kl,Syh C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5760-02	Vitrus Cam Rez.Asm Klz,Beyaz C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5760-02IND	Vitrus Cam Rez.Asm Klz,Beyaz C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5761-02	Vitrus Cam Rez.Asm Klz,Siyah C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5761-02IND	Vitrus Cam Rez.Asm Klz,Siyah C, 2.5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5770-02	Vitrus CamRez.AsmK,Byz C+StpValf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5770-02IND	Vitrus CamRez.AsmK,Byz C+StpValf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5771-02	Vitrus CamRez.AsmK,Syh C+StopVlf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5771-02IND	Vitrus CamRez.AsmK,Syh C+StopVlf+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5780-02	Vitrus CamRez.AsmK,Byz C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5780-02IND	Vitrus CamRez.AsmK,Byz C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5781-02	Vitrus CamRez.AsmK,Syh C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA
770-5781-02IND	Vitrus CamRez.AsmK,Syh C+ShutOff+2,5/4L	EN 14055 - CL 1 - 4 - NL 1 -VR II - WL -DA